



Electrical Key:

- Ceiling suspended fan
- Wall mounted AC unit
- Two gang socket with a switch on each outlet and light indicator
- Single gang switch
- Wall mounted security lights
- Distribution board

NOTES

- GENERAL NOTES**
- THIS DRAWING IS PROTECTED UNDER THE COPYRIGHT ACT, AND CANNOT BE USED OR REPRODUCED IN PART OR IN WHOLE WITHOUT THE AUTHOR'S CONSENT.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH STRUCTURAL, MECHANICAL, ELECTRICAL AND/OR OTHER CONSULTANT'S DOCUMENTATION THAT MAY BE APPLICABLE PRIOR TO COMMENCEMENT OF THE WORK AND IN ITS DURATION. DIMENSIONS SHOULD BE READ AND NOT SCALED OFF.
 - contractor must verify all dimensions, spot heights and levels before commencement of work, any discrepancy must be reported to architect before any work starts
 - all construction work must conform to Kenya Bureau of standards Codes of practice and Local Authority Bylaws and regulations and Nema Regulations
 - all walls 150mm or less must be reinforced with hoop iron at every alternate course
 - water meter to be 450mm above FGL
 - Dpc to be provided under all walls above FGL
 - All RC work to S.E. detail
 - All drains and pipes running through driveway or building to be encased in 150mm concrete
 - all surface beds to be cast on well compacted and consolidated filling
 - minimum depth of foundation to be 800mm below reduced gl
 - all pipes and services to be a minimum 450mm below reduced gl
 - pv means permanent vent
 - ft means floor trap
 - Gt means gulley trap
 - ic means inspection chamber
 - mh means man hole
 - svp means soil vent pipe

REVISIONS		
No.	Date	Revision/Issue

LEGENDS:

- Proposed new water point as shown thus
- Existing floor layout as shown as thus
- Main building wing as shown as thus
- Front wing as shown as thus
- Wards wing as shown as thus

PROJECT
PROJECT NAME:ABYEI REFERRAL HOSPITAL
SITE LOCATION:ABYEI TOWN
STATE:ABYEI SPECIAL ADMINISTRATION AREA

CLIENT
IOM/AAA

CLIENT'S SIGNATURE



IOM • OIM

IOM-THE UN-MIGRATION AGENCY

DRAWING TITLE
ELECTRICAL LAYOUTS

SHEET NO.	JOB NO	1/2017	REVISION
01	SCALE	DATE	DRAWN
as shown	3/17/2017	S.K	