

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: RFQPROC# 2022-0444 - Request for quotation

tools Korea -

SECTION 1: REQUEST FOR QUOTATION (RFQ) for the provision of various agricultural tools

International Organisation for Migration (IOM) kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using your format with your company letter head along with the filled out Annexes 2 and 3, by the method and by the date and time indicated. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: _

Name: Jad KHAIRALLAH

Dep: Procurement Department

Date: October 21, 2022

Date: 21 October 2022



SECTION 2: RFQ INSTRUCTIONS AND DATA

Deadline for the Submission	On or before 27 October 2022 1600H Lebanon Time		
of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted,		
	refer to http://www.timeanddate.com/worldclock/ .		
Method of Submission	Quotations must be submitted as follows:		
	☐ E-tendering ☑ Email		
			
	☐ Courier / Hand delivery ☐ Other Click or tap here to enter text.		
	·		
	Bid submission address: iomlebanonbid@iom.int		
	■ File Format: pdf		
	 File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. 		
	 All files must be free of viruses and not corrupted. 		
	Max. File Size per transmission: 5MB per email		
	Mandatory subject of email: RFQPROC# 2022-0444		
	 Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y. 		
	 It is recommended that the entire Quotation be consolidated into as few attachments as possible. 		
	The proposer should receive an email acknowledging email receipt.		
Cost of preparation of quotation	IOM shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.		
Supplier Code of Conduct	All prospective suppliers must read the UN Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: Supplier Code of Conduct (ungm.org).		
Conflict of Interest	UN encourages every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UN if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other		
	information used in this RFQ.		
General Conditions of	Any Purchase Order or contract that will be issued as a result of this RFQ shall be		
Contract	subject to the IOM General Conditions of Contract for provision of goods/services/transportation/medical services available at https://www.iom.int/do-business-us-procurement.		
Eligibility	Bidders shall have the legal capacity to enter into a binding contract with IOM and to		
Ligitimity	deliver in the country, or through an authorized representative.		
	For new bidders not yet registered with IOM Lebanon, please submit the following:		
	Legal Eligibility Latest and valid government permits, licenses and company registration Submit any of the following whichever is applicable in the country of business of operation		
	 Company's Articles of Incorporation, Partnership or Corporation, whichever is applicable, including amendments thereto, if any License to operate 		



	ON FIIGRATION
	 Company Profile (including the names of owners, key officers, technical personnel) showing minimum 3 years of operation supplying similar items as per IOM requirements Sanitary/Health Permits
	Taskwisal Flisibility
	Technical Eligibility Experience and References
	Provide summary of past projects providing similar goods and
	services.
	Provide list of clients wherein you are currently supplying similar
	goods and services.
	Financial Eligibility
	List of all contracts entered into for the last 3 years (indicate whether)
	completed or ongoing) providing similar goods and services as per
	the IOM requirements
	Duly Filled Out Vendor Information Sheet
Currency of Quotation	Quotations shall be quoted in USD
Duties and taxes	The International Organization for Migration is exempt from all direct taxes, except
	charges for public utility services, and is exempt from customs restrictions, duties,
	and charges of a similar nature in respect of articles imported or exported for its
	official use. All quotations shall be submitted net of any direct taxes and any other
	taxes and duties, unless otherwise specified below:
	All prices shall:
	☑ be inclusive of VAT and other applicable indirect taxes
	Note that IOM will pay both cost of goods and VAT in USD.
	☐ be exclusive of VAT and other applicable indirect taxes
Language of quotation and documentation including	English
catalogues, instructions and	
operating manuals	
Documents to be submitted	Bidders shall include the following documents in their quotation:
	☑ Annex 3: Technical and Financial Offer duly completed and signed and in
	accordance with the Schedule of Requirements in Annex 1
	☐ Other Quotation using Supplier's format with letterhead.
	☐ Other Eligibility Documents for new vendors
Quotation validity period	Quotations shall remain valid for 30 calendar days from the deadline for the
	Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any
	other market factors shall be accepted at any time during the validity of the
Bankial Country	quotation after the quotation has been received.
Partial Quotes	⊠ Not permitted
	Permitted Insert conditions for partial quotes and ensure that the requirements
Payment Torms	are properly listed in lots to allow partial quotes
Payment Terms	
Contact Person for	☐ Other Click or tap here to enter text. Focal Person: Jad KHAIRALLAH
correspondence,	E-mail address: beyproc.iom.int
notifications and	Attention: Quotations shall not be submitted to this address but to the address for
clarifications	quotation submission above.
cial fileacions	quotation submission above.



Clarifications	Requests for clarification from bidders will be accepted from 21 to 24 October 2022. Responses to request for clarification will be communicated via email by 25 October 2022
Evaluation method	☑The contract will be awarded to the lowest price substantially compliant offer☐ Other Click or tap here to enter text.
Evaluation criteria	 ⊠ Full compliance with all requirements as specified in Annex 1 ⊠ Full acceptance of the General Conditions of Contract □ Comprehensiveness of after-sales services ⊠ Earliest Delivery /shortest lead time □ Others (for ex, environmental criteria/considerations, etc)
Right not to accept any quotation	IOM is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, IOM reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum 25% of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	Purchase Order
Expected date for contract award.	07 November 2022
Policies and procedures	This RFQ is conducted in accordance with Policies and Procedures of IOM
UNGM registration	IOM is encouraging all suppliers to register at the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award of USD 100,000 and above, the Bidder is recommended to register on the UNGM prior to contract signature. For vendors who do not have the technical means to register in UNGM, the UNGM has implemented an assisted vendor registration functionality that allows IOM procurement personnel to add local vendors to the UNGM.



ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods:

Item No	Minimum technical requirements	Sample	Unit	Quantity
01	Sickle Curved blade, length 300mm or 12", lacquered. Handle length: 100mm or 4"."Blade thickness 2.5mm, with a spike to key int he handles. Wooden handle: No chips, rough surface, holes, or knots. Smooth surface. Pressed carbon steel hardened and tempered; hardened throughout the entire blade but normalized for the handle insert.	Can cut crops, or flesh wooder handle	pcs	10
02	Broom Brush Width:14"BristleLength:2 3/4"Material: Polypropylene Plastic Color: Black Block Material: Wood HandleLength:"60"Material: Wood Connection Type: Threaded1-Meter-Long stick		pcs	55
03	Landscaping PickHeadLength: 23 1/2" Material: Steel Blade Width:1 1/2" Handle Style: Straight Material: WoodOverall Length:36"80cm long stick		pcs	31
04	Digging Shovels Polished, Ergonomic Hard Wood Handle Powder Coated Steel Blade Overall: 1490mm long x 180mm wide x150mm high Handle: 1180mm long x 38mmBlade: 180mm wide x 300mm long1-meter-long stick		pcs	72



	BOW RAKE 16 TINE FORGED		pcs	
05	Gray forged head, ferrule, black steel collar. Lacquered handle. Wide forged 15 tine head Long 60 in hardwood handle Long forged tines for getting through tough materials 1-meter-long stick			20
	Extreme Duty Tear-Resistant Bags	A.A. A	pcs	
	Gallon Capacity			
	Closure Style: Open Top			
	Duty Rating: Extra Heavy			
	Capacity: 42 gal.			
	Circumference: 60"			
06	Height: 49"	3.4999/64		175
	Width :30"			
	Thickness :7 mil			
	Weight Capacity :110 lbs.			
	Material: Plastic Fabric			
	Color: white Clarity: Opaque			
	65*45cm			
	Farming Trolley		pcs	
	Material: tell and fiber			
	Capacity: 200 kg			
07	Color: Blue			25
	Load Capacity: 200 kgs			
	Type: mobile			



08	Rubber Boots (Rain Boots For Farming Chores) for firefighters Breathable material Flexibility for different foot shapes Easy-to-clean Lightweight Resistant to degradation Affordable Cleated outsoles for traction Eco-friendly 100% waterproof Sturdy tread Very durable Easy to clean and disinfect size: 43(Pcs)-44(5Pcs)		pcs	10
09	vegetables seedlings 1-carrot (1 KG) 2-Cauliflower (1 KG) 3-Chard (1 KG) 4-Cucumber (1 KG) 5-Eggplant (1 KG) 6-Lettuce (1 KG) 7-Leek (100G) 8-Tomato (1 KG) 9-Mint (100G)	Brasica chracra v Brasica o v capitata Brasica o v italica Brocoli Caloffower Capalicum annuum Capalicum annuum Cucumita sativus Cucumita sativus Cucumita sativus Cucumita sativus Lacituca sativus Lacituca sativus Lacituca sativus Lacituca sativus Lacituca sativus Lacituca sativus	pcs	Per KG or Grams
10	4-inch نربیش سقایة / hose Water		pcs	5
11	2-inch نربیش سقایة / hose Water		pcs	5
12	Large scissors / مقص کبیر Metal		pcs	27



13	Small scissors / مقص صغير Metal	pcs	16
14	مرشه ظهر للمبيدات pesticides for sprayer Backpack Plastic	pcs	22
15	مشط ناعم Comb Soft Soft brown	pcs	55
16	RUBBISH CLIPPER Material: Aluminum alloy Color: blue Folded size: 83cm (Approx) Unfold size: 78cm (Approx)	pcs	97
17	<pre>waste container Container Dimensions: 6' L x 4'</pre>	PCS	4
18	Water Resistant uniform Teflon Coating Fends Off Soil & Stains Soft Inner Lining Drawstring Elastic Waist Water Resistant Sealed & Coated Seams Black High Wear Areas size: medium, large	Pcs	10
19	Anti-Gas and Smell Mask Function: Anti-pollution Protection class: Nonlife cycle: non-disposable Applicable: Adult Material: The medicinal materials Size: 1	Pcs	14
20	Brick حجر خفان Length: 12"	Pcs	100



21	Portland Grey Cement Bag Portland limestone cement NL 53: 1999 - PA- L 42.5 in bags Composition This product is manufactured by grinding a blend of clinker, Specific characteristics This cement is a general use cement specially designed for standard building works. Fields of application This cement is ideal for site- mixed concrete, masonry, mortars, renders, grouts and small- scale concrete blocks production units.	Control of the state of the sta	Pcs	135
22	Grey Cement Step Tiles, 1 X 2 Feet, Thickness: 20-25 mm- 150 m2 Tile Size:1 X 2 Feet Material: Cement Finish: Matt Thickness: 20-25 mm Category: Paving Tiles Covers 750 m2		Pcs	1
23	Cement Curbstone Dimensions (cm):7/15*15*50 Weight (kg):24.0 Code Of Fracture Strength (MPA):JS 479-1994 Absorption (%):8		Pcs	150
24	Tile Pressure Sensitive Adhesive - 1 Gallon Bucket Pressure sensitive adhesive Solvent Free Low Odor / Low VOC Non-flammable Coverage: Approximately 250 sq ft per gallon	Tile Water Resistant Adhesive - Adhesive -	Pcs	15
25	Scarper Description: Scraper Size: 1-5" Material: carbon steel handle: rubber Thickness:0.5-1mm		Pcs	10



	60W Solar Street Light (6000 Lumen)	Pcs	
	Easy To Install.		
	Motion Sensing Mode (dims low light level until motion detected)		
	Remote Controlled (to change settings)		
	Timer (set to stay on for time intervals of 2hrs, 4hrs, 6hrs)	Ĭ	
	Auto Mode turns on in the evening (stays on all night) and off in the morning.		
	Brighter than ever: Endurance Lights is capable of illuminating up to 6000 Lumens at it's full power. Super bright solar light!		
26	Weatherproof construction: Snow & rain storm-resistant, rustproof, super-durable resin frame providing extreme durability and reliability, even in very humid weather climates and coastal areas. You will never have to worry about damage from rain or sun exposure.		4
	Color temperature: White light 6000-6500k		
	120 Super Bright LEDS		
	5 Lighting Modes: Motion detected, always on, 2 hours timer, 4 hours timer and 6 hours timer.		
	Battery Size: 12000MAH		
	Solar Panel Specs: 10W/6V		
	Mounts on a wall with a mounting bracket which can be ordered here.		
	Light Coverage: $20 \text{ ft} \times 20 \text{ ft} = 400 \text{ sq ft}$		
	Light Dimensions: 18.5x7.9inches Warranty: 1 year manufacturer's warranty		
27	Abrasive machine 15 Amp	Pcs	1
28	Sand for m2	M2	30
29	use)/ metal (for الزوم الحد د لون اسود Paint Black	10KG/ gallon	2
	One gallon 10 KG Zircon		



30	Hedge plants		Pcs	150
31	Leyland cypress trees (Medium) 1.5 m		Pcs	190
32	Gasoline mechanical Chainsaw (medium)		Pcs	2
33	Agricultural fork(long) with stick big	4	Pcs	5
34	Iron cutter Item Dimensions L x W x H: 7.15 x 2.1 x 0.95 inches	Co	Pcs	5
35	Axe With wooden hand size 35cm		Pcs	14
36	Agriculture fork Small (with stick)		Pcs	5
37	Dustpan		Pcs	10
38	rake/ same as pick منكوش		Pcs	10
39	Gravel per M4		M4	27
40	Nail box (standard size) for shelter fixing		box	5
41	Iron rod(s) 6m*12mm		Pcs	150



	UN MIGRA		
42	Iron rod(s) 5M*12MM	Pcs	50
43	Iron rod(s) 5M*6MM	Pcs	200
44	Iron web fence 1.5-meter hight/M	Pcs	320
45	Paint Brush size 4	Pcs	5
46	also known to as a tying wires, شریط عمار ناعم, rods or other metals usually to tie	/KG	25
47	also known to as a tying شریط عمار خشن, wires, usually to tie rods or other metals	/KG	40
48	5*5 hollow iron pipe 6M		15



Delivery Requirements

Delivery Requirements		
Delivery date and time	Bidder shall deliver the goods 1 week after Contract signature/PO.	
Delivery Terms (INCOTERMS 2020)	N/A	
	⊠ Not applicable	
Customs clearance	Shall be done by:	
(must be linked to	☐ Name of organisation	
INCOTERM	☐ Supplier/bidder	
	☐ Freight Forwarder	
Exact Address(es) of	Beqaa & North Lebanon	
Delivery Location(s)	Exact address to be provided prior to award	
Distribution of shipping	N/A	
documents (if using		
freight forwarder)		
Packing Requirements	Standard packaging	
Training on Operations and Maintenance	Manual should be included in the package if applicable	
Warranty Period	1 year Standard manufacturer's warranty as applicable to the product	
After-sales service and local service support requirements	As applicable to the product	
Preferred Mode of Transport	N/A	
Other information	N/A	