Technical Specifications

NO	MATERIAL TYPE	DESCRIPTION	REMARKS
I	EXPAND THE ROOM FOR EC		
1	Reinforcement Steel Ø10	Use for Main reinforcement (Column, Ground Beam and Top Beam)	P40° 51')
2	Reinforcement Steel Ø8	Use for Beugel (Column, Ground Beam and Top Beam)	D STATE OF THE STA
3	Finishing with White cement (Plamir)	For new wall	BOYO
4	Steel hollow 80 x 40 x 1mm	Use for Ramp	
5	HD Plat 5mm	for trusses	
6	Nut Bolt (Baut untuk HD PLAT)	for trusses	
7	Steel Channel V TASO 150 - R40.45	for Purling	TASO R40.45
8	Zincalum Colorbond 0.42 mm include Screw	For Extend room	
9	Steel hollow 40×20 mm for listplank around the roof	For Extend room	Kindly provide a preliminary sample of materials before commencing on-site work
10	listplank galvalume 0.42mm include Screw 3mm around the roof	For Extend room	Kindly provide a preliminary sample of materials before commencing on-site work

NO	MATERIAL TYPE	DESCRIPTION	REMARKS
11	Ceiling Joist Hollow Galvalum 40x40mm and 20x40mm	For Extend room	
12	Ceiling Calsiboar 6mm	For Extend room	
13	Ceiling Cornice	For Extend room	Court of the court
14	Tiles 300mm x 300mm	For Extend room	
15	Downlight lamp 22 W DL190B LED	For Extend room	
16	single switches	For Extend room	
17	Cable for Electrical	For Extend room	Kindly provide a preliminary sample of materials before commencing on-site work
18	Wall painting (Lily white 8006)	For Extend room	IPPON MAINT
19	Ceiling painting (white Color)	For Extend room	DARRA
20	Plaquet use material Acrylic and Dynabolt 12mm	EC Building	Kindly provide a preliminary sample of materials before commencing on-site work
21	Stainless steel for toilet Disability See on the drawing	External Toilet	
II	CONCRETE RAMP		

NO	MATERIAL TYPE	DESCRIPTION	REMARKS		
22	Steel hollow 40 x 40 x 1mm	Use for Ramp			
23	Steel hollow 80 x 40 x 1mm	Use for Ramp			
24	Steel hollow painting		Kindly provide a preliminary sample of materials before commencing on-site work		
III	WATER STORAGE TANKS				
22	Water tank ROTTO 5200 litre	Use for Water reservoirs	5200 Ltr		