

Annex D

Sensor Toilet Flush System with Commode Toilet Bowl & Bidet (60 Units)

Technical Specifications:

	Technical Requirements	Vendor Compliance (Yes/No)	Specify	Remarks
1	Ceramic glaze: Anti Stik' High Quality European Glaze for a Long-Lasting Effect			
2	Surface Coating: Double enameling process improves resistance to abrasive products, discoloration and time, Anti Bacterial Coat for Clean Use			
3	Ceramic Standards: Minimum Standard Requirement (LGA/TUV Germany, NF France, AENOR, UPC for USA and Canada, European Certificate, Eco Labelling Spain, European Water Label Scheme, Australian Water Efficiency Label, Water Mark, WRAS UK, KIWA Netherlands			
4	Dimensions: Length 355 - 360 mm Width 695 - 700 mm Height 375 - 380 mm			
5	Water Inlet Position: Full Back to Wall & HORIZONTAL.			
6	European Standards: UNE 67001, F.E.C.S., UNE-EN 33, UNE-EN 34, UNE-EN 37, UNE-EN 38, UNE-EN 997, EN 33, EN 34, EN 37, EN 38, EN 997, UNE-EN 31, UNE-EN 32 UNE-EN 111, UNE-EN 14688, EN 31, EN 32, EN 111, EN 14688			
7	Seat Cover: Seat and cover for toilet with front opening			
8	Seat Cover Material : Urea Formaldehyde Resin with Stainless Steel Hinges			
9	Seat Cover: Anti Bacterial Protection			
10	Seat Drop Test (Soft Closing): Should be tested for at least 25,000 drop test for it's slow drop seat cover exceeding the EU standard of 20,000 which is important for longevity			

Non-Technical Specifications:

	Non-Technical Requirements	Vendor Compliance (Yes/No)	Specify	Remarks
11	Shall be clearly stated that Make, Model & country of manufacture of the offered items in the offer.			
12	Original technical brochures or certified copies of the offered product shall be accompanied with the offer.			
13	Shall be provided reference list with the indicating customer details (contact/phone No. etc.) of similar installation in Sri Lanka.			
14	shall be provided a copy of the letter of authorization confirming that bidder is a genuine agent of the manufacture of this particular product			
15	Shall be confirmed after sales services and readily availability of spare parts in Sri Lanka for not less than 10 years			
16	Supplier should provide demonstration (for instrument commissioning work) at the Airport premises in free of charge.			
17	Shall be provided Guarantee / Warrantee period: 25 Years for the Ceramic (Not to surface Colour Variation and Surface Cracks) and not less than 18 months for Electronic Components			