

# Annex F

## AUTOMATIC SENSOR URINAL & FLUSHER (stand-type) (50 Units)

### Technical Specifications:

	Technical Requirements	Vendor Compliance (Yes/No)	Specify	Remarks
1	Ceramic glaze: Anti Stik' High Quality European Glaze for a Long-Lasting Effect			
2	Surface Coating: Double enameling process improves resistance to abrasive products, discoloration and time, <b>Anti Bacterial Coat</b> for Clean Use			
3	Ceramic Standards: Minimum Standard Requirement (LGA/TUV Germany, NF France, AENOR, UPC for USA and Canada, European Certificate, Eco Labelling Spain, European Water Label Scheme, Australian Water Efficiency Label, Water Mark, WRAS UK, KIWA Netherlands			
4	Dimensions (approx.): Length 355 - 360 mm Width 370 - 380 mm Height 1050 - 1065 mm			
5	Inlet Diameter/Outlet Diameter: 35mm/87mm			
6	Water Inlet Position: Full Back to Wall & horizontal			
7	Water Inlet Position: Back Horizontal			
8	European Standards: UNE 67001, F.E.C.S., UNE-EN 33, UNE-EN 34, UNE-EN 37, UNE-EN 38, UNE-EN 997, EN 33, EN 34, EN 37, EN 38, EN 997, UNE-EN 31, UNE-EN 32 UNE-EN 111, UNE-EN 14688, EN 31, EN 32, EN 111, EN 14688			
9	Technology: Electronic urinal flush valve powered by mains supply			
10	Power: Mains operated at 230V, 50Hz. Power source included.			
11.	Input: AC100-240V~, 50/60Hz			
12	Usage: Public Space			
13	Public Application: Vandal Proof (Mandatory Requirement)			

**Non-Technical Specifications:**

	<b>Non-Technical Requirements</b>	<b>Vendor Compliance (Yes/No)</b>	<b>Specify</b>	<b>Remarks</b>
14	Shall be clearly stated that Make, Model & country of manufacture of the offered items in the offer.			
15	Original technical brochures or certified copies of the offered product shall be accompanied with the offer.			
16	Shall be provided reference list with the indicating customer details (contact/phone no etc.) of similar installation in Sri Lanka.			
17	shall be provided a copy of the letter of authorization confirming that bidder is a genuine agent of the manufacture of this particular product			
18	Shall be confirmed after sales services and readily availability of spare parts in Sri Lanka for not less than 10 years			
19	Supplier should provide demonstration (for instrument commissioning work) at the Airport premises in free of charge.			
20	Shall be provided Guarantee / Warrantee period: 25 Years for the Ceramic (Not to surface Colour Variation and Surface Cracks) and not less than 18 months for Electronic Components			