Annex G

AUTOMATIC SENSOR URINAL & FLUSHER (Wall-mounted) (50 Units)

Technical Specifications:

	Technical Requirements	Vendor Compliance (Yes/No)	Specify	Remarks
1	Ceramic Glaze: Anti Stik' High-Quality			
	European Glaze for a Long-Lasting Effect			
2	Surface Coating: Double enamelling			
	process improves resistance to abrasive			
	products, discoloration, and time, Anti-			
	Bacterial Coat for Clean Use			
3	Ceramic Standards: Minimum Standard			
	Requirement (LGA/TUV Germany, NF			
	France, AENOR, UPC for USA and			
	Canada, European Certificate, Eco			
	Labeling Spain, European Water Label			
	Scheme, Australian Water Efficiency			
	Label, Water Mark, WRAS UK, KIWA			
	Netherlands)			
4	Rimless Technology: Rimless Technology			
	for Hygiene, Easy Clean, and			
	Sustainability, More Bowl Clean, and up			
	to 30% water savings			
5	European Standards: "UNE 67001,			
	F.E.C.S., UNE-EN 33, UNE-EN 34, UNE-EN			
	37, UNE-EN 38, UNE-EN 997, EN 33, EN			
	34, EN 37, EN 38, EN 997, UNE-EN 31,			
	UNE-EN 32, UNE-EN 111, UNE-EN			
	14688, EN 31, EN 32, EN 111, EN 14688"			
6	Technology: Electronic urinal flush valve			
	powered by mains supply			
7	Power: Mains operated at 230V. Power			
	source included.			
8	Input: AC100-240V~, 50/60Hz			
9	Usage: Public Space			
10	Public Application: Vandal Proof			
	(Mandatory Requirement)			

Non-Technical Specifications:

	Non-Technical Requirements	Vendor Compliance (Yes/No)	Specify	Remarks
11	Shall be clearly stated that Make, Model			
	& country of manufacture of the offered			
	items in the offer.			
12	Original technical brochures or certified			
	copies of the offered product shall be			
40	accompanied with the offer.			
13	Shall be provided reference list with the			
	indicating customer details			
	(contact/phone no etc.) of similar installation in Sri Lanka.			
14	shall be provided a copy of the letter of			
14	authorization confirming that bidder is a			
	genuine agent of the manufacture of this			
	particular product			
15	Shall be confirmed after sales services			
	and readily availability of spare parts in			
	Sri Lanka for not less than 10 years			
16	Supplier should provide demonstration			
	(for instrument commissioning work) at			
	the Airport premises in free of charge.			
17	Shall be provided Guarantee /			
	Warrantee period: 25 Years for the			
	Ceramic (Not to surface Colour Variation			
	and Surface Cracks) and not less than 18			
	months for Electronic Components.			