

### **Invitation to Bid (ITB)**

for

The construction of "Facility of Central Activities - Administrative Facility of the Ministry of Interior", at Lot no. 182/1, 182/2, 182/3 and 182/4 K.O. Podgorica II, in Podgorica, Montenegro

ITB Ref. No. ME10-374/23 Rev.1

# **BID BULLETIN #1**

# Addendum

This Bid Bulletin #1 is issued to address inquiries and clarification from bidders in regard to ITB for the construction of "Facility of Central Activities - Administrative Facility of the Ministry of Interior" published on 13 December 2023.

#### A. On General Instruction to Bidders

#### **A1. SECTION 3: DATA SHEET**

#### **Liquidated Damages**

54.	Liquidated Damages	Will be imposed as follows:	
		Percentage of contract price per week of delay: 0.1% up to a maximum of	
		<b>10%</b> of the Contract value, after which IOM may terminate the contract.	

# is replaced with the following:

54.	Liquidated Damages	Will be imposed as follows:	
		Percentage of contract price per day of delay: 0.1% up to a maximum of 10%	
		of the Contract value, after which IOM may terminate the contract.	

#### **A2. SECTION 3: DATA SHEET**

### **Instruction for bid submission**

28.	Instruction for bid	•	The bidder shall submit the bid in one sealed envelope containing 2 (two)
	submission		envelopes: one with the technical components and the other with price
			components (Bid Security and Price Schedule).

# B. Inquiries from Bidders

# I Commercial Inquiries

No	Question/Clarification	IOM Response
	Is it allowed to form a consortium or only one bidder should cover everything?	Both is allowed: performing as a single company or
1.		as part of a consortium, if the conditions stated in
		the ITB are met.

No	Question/Clarification	IOM Response
2.	Is the budget provided?	Yes. By the donor, EU.
3.	Is the whole project exempted from VAT?	Yes, it is VAT exempted.
4.	Shall the price of the bid be exclusive of VAT?	Yes. All prices shall be exclusive of VAT and other
		applicable indirect taxes.
5.	How is the payment planned? Is it according to the	Yes, payment will be on monthly basis upon
	signed situations?	signed situations.
	Is there a right to appeal, after the whole	Yes, this solicitation procedure is being
	procedure of submitting bids and its evaluation is	conducted according to IOM procedures,
	finished?	explained in <u>IOM's Procurement Manual IN 168</u>
		Rev.1.
		As per Article 11.4.2 Bid protest procedure from
		Procurement Manual: Bidders that perceive that they have been
		unjustly treated in connection with the
		solicitation or award of a contract may protest to
		the Director, SCD through mscu@iom.int. The
		Director, SCD may seek all necessary clarifications
		from IOM personnel and may consult with LEG.
		The Director, SCD will issue a response to the
		bidder and may, as appropriate, meet with the
		bidder's representatives to explain better the
6.		rationale for IOM's decisions.
		All vendors shall be informed of IOM's bid
		protest procedure in the solicitation documents
		(please see Article 53. Proposal protest in ITB
		(Section 2: Instructions to Bidders). The
		procurement personnel who were involved in the
		procurement activity in question shall not
		participate in the review of the protest, other
		than providing all information requested by the Director, SCD.
		If the protest involves allegations of wrongdoing
		by IOM personnel, the Director, SCD shall
		forward the protest to the Office of the Inspector
		General (OIG) for its consideration of the
		allegations of wrongdoing in accordance with its
		own procedures.
7.	Is the company that will lead the supervision	No, these two procedures are running in parallel.
	already chosen?	
	In the ITB as per article 47-Right to vary	In the Section 6: Conditions of contract and
	requirement at time of award it says: 'The	contract forms, Construction agreement – Draft
	maximum percentage by which quantities and	as part of Annex B it is stated: "Bid Form
8.	unforeseen works may be increased is 10%.' In the Sample Contract at section 6 of the ITB, we	including Contractor's firm and final proposal/bid dated [insert date], with detailed Bill of
о.	couldn't see a contract clause about the type of the	Quantities ("BoQ") and unit cost".
	contract.	Type of Contract is unit price contract based on
	Is this a turnkey or unit priced contract?	BoQ.
	Could you please clarify?	
	Can there be changes in the contract conditions	Advance payment percentage cannot be
	below or are the conditions certain? Could you	increased (max 10%).
	please clarify?	
9.	- Advance payment percentage %10 (Can it be	Retention percentage cannot be decreased.
	increased?)	
	- Retention percentage %10 (Can it be decreased?)	

No	Question/Clarification	IOM Response
	Tenderskom dokumentacijom "Facility of Central Activities - Administrative Facility of the Ministry of Interior", at Lot no. 182/1, 182/2, 182/3 and 182/4 K.O. Podgorica II, in Podgorica, Montenegro, ITB Reference No: ME10-374/23 Rev.1 je predviđen uslov: "Turnover: Bidders should have an annual Sales turnover of minimum 700,000.00EUR (seven hundred thousand EUR) for the last 3 (three) years?"	Yes, as stated in ITB, Section 4: Evaluation Criteria (page 18), Bidders should have sales turnover of minimum 700,000.00EUR (seven hundred thousand EUR) per year for the last 3 (three) years.
	ima za svaku od posljednje tri godine minimum prometa 700.000,00€? Ili ovaj uslov znači da ponuđač u prosjeku za prethodne tri godine mora da ispuni ovaj uslov?	
10.	Unofficial translation: In tender documentation "Facility of Central Activities - Administrative Facility of the Ministry of Interior", at Lot no. 182/1, 182/2, 182/3 and 182/4 K.O. Podgorica II, in Podgorica, Montenegro, ITB Reference No: ME10-374/23 Rev.1 it is provided the following condition: "Turnover: Bidders should have an annual Sales turnover of minimum 700,000.00EUR (seven hundred thousand EUR) for the last 3 (three) years?"	
	Does this condition imply that the bidder must have for each of the last three years minimum turnover of 700,000.00EUR? Or this means that the bidder must fulfill this condition on average for the previous three years?	
	U vezi sa istim uslovom iz prethodnog pitanja, molimo za pojašnjenje da li je ispravno da ponudač dostavi podatke za posljednje tri godine, odnosno za 2022, 2021. i 2020.godinu, s obzirom na to da za 2023.godinu, još uvijek nije predat završni obračun, pošto je rok za predaju završnog obračuna do kraja marta 2024.godine.	Yes. The Bidder can submit data for years: 2022, 2021 and 2020, if the Final calculation for 2023 has not yet been submitted, according to national legislation.
11.	Unofficial translation: Regarding the same condition from the previous question, please clarify whether it is correct for the bidder to submit data for the last three years, i.e. for 2022, 2021 and 2020, given that for 2023 the final calculation has not yet been submitted, and the deadline for submitting the final calculation is the end of March 2024.	
12.	Da li ponuđač može ponudu da podnese sa podizvođačima?	No. The bid should be submitted either individually or as a Joint Venture, Consortium or Association.
	Unofficial translation: Can the bidder submit the bid with subcontractors?	Please refer to ITB, Section 2: Instructions to Bidders, Article 20. Joint Venture, Consortium or Association.

No	Question/Clarification	IOM Response
13.	Da li je potrebno u nacrtu ugovora unositi podatke, i da li je potrebno isti potpisati sa strane ponuđača?  Unofficial translation: Is it necessary to enter data in the draft contract, and does it need to be signed by the bidder?	No. The draft Construction agreement provided in the tender dossier serves as a template for information purposes only.
14.	Ako se ponuda podnosi u konzorcijumu, da li je potrebno da član konzorcijuma ispunjava uslove u pogledu prometa u iznosu od 700,000.00€?  Unofficial translation: If the offer is submitted in a consortium, is it necessary that the member of the consortium fulfills the requirements regarding turnover in the amount of €700,000.00?	As stated in ITB, Section 4: Evaluation Criteria (page 18):  For JV/Consortium/Association, all Parties cumulatively should meet requirement, which means that all Parties cumulatively (not individually) should have 700,000.00EUR per year, for the last 3 (three) years.
15.	Da li na unutrašnjim kovertama mora da postoji posebno ispisan tekst i koje sadržine?  Unofficial translation:  Do the inner envelopes have to have a specially written text and what contents?	The inner envelopes shall be marked as follows: - technical bid envelope should be clearly marked as "Technical Bid" price schedule envelope should be clearly marked as "Price Schedule" both envelopes should indicate the Bidder's name and the ITB reference number.

# II Technical Inquiries

Question/Clarification	IOM Response
Is it going to be possible to access the location	This will be discussed and confirmed with the
from the boulevard during construction works?	Ministry of Interior.
Will it be necessary to report every person and all	This will be discussed and confirmed with the Ministry of Interior.
• •	Willistry of Interior.
9	
before?	
Has the transformer station (electrical substation)	Yes, there is an existing electrical substation on
been planned or already existing?	the site.
Are all infrastructure connections available on the	Yes, they are available.
	Minimum specifications are given in the
-	published ITB and annexing documentation. It is
	allowed to use equivalent or better.
_	
	No.
·	NO.
<u> </u>	Yes, one unified license for mechanical engineer
	according to national legislation is needed.
	decorating to national registation is needed.
•	
more phases?	
	Is it going to be possible to access the location from the boulevard during construction works?  Will it be necessary to report every person and all the equipment that need access to the location during construction works to the guard on the entrance and to announce their presence the day before?  Has the transformer station (electrical substation) been planned or already existing?  Are all infrastructure connections available on the site?  Will the specifications for the equipment be fixed, or the supervision can change it? Will there be changes during the works? Does it have to be the manufacturer given in solicitation documents? Is there a possibility to use equivalent?  Is the presence at the pre-bid conference and site-inspection mandatory for participating in the bidding?  Regarding staff capacity requirements, particularly for mechanical engineer and the licenses for different phases, is the one unified license according to Montenegrin law, enough to cover

No	Question/Clarification	IOM Response
	We kindly ask you to additionally clarify the following positions from the preliminary works (BoQ) for a more precise offer: From Annex 5.3 BoQ, sheet 1/ Predmjer i predračun za Arhitektonski projekat sa Građevinskim projektom – Konstrukcija, position 11-00, BRAVARSKI RADOVI I ALU:	
	- Arhitektonski projekat, pozicija V10: Q1: U opisu su predviđena petokrilna 3+2 harmonika vrata; harmonika vrata ne mogu imati otvaranje 3+2 već moraju imati neparan broj krila lijevo i desno.	- Arhitektonski projekat, pozicija V10: A1: Harmonika može imati željeni broj vrata. U ovom slučaju je jasno definisan broj krila.
	- Arhitektonski projekat, pozicija V3: Q2: Na ovoj poziciji nije data ispuna u krilu vrata; da li je ispuna od stakla i koje vrste ili je u pitanju panel u boji bravarije?	- Arhitektonski projekat, pozicija V3: A2: <b>Ispuna je od panela u boji bravarije.</b>
	- Arhitektonski projekat, pozicija V4: Q3: Na ovoj poziciji nije data ispuna u krilu vrata; da li je ispuna od stakla i koje vrste ili je u pitanju panel u boji bravarije?	- Arhitektonski projekat, pozicija V4: A3: <b>Ispuna je od panela u boji bravarije.</b>
8.	- Arhitektonski projekat, pozicija P2: Q4: <b>Na ovoj poziciji u opisu nije data vrsta stakla.</b>	<ul> <li>Arhitektonski projekat, pozicija P2:</li> <li>A4: Na ovoj pozicije je predviđeno jednoslojno staklo 8mm debljine, pjeskareno.</li> </ul>
0.	- Arhitektonski projekat, pozicija P3: Q5: <b>Na ovoj poziciji u opisu nije data vrsta stakla.</b>	<ul> <li>Arhitektonski projekat, pozicija P3:</li> <li>A5: Na ovoj pozicije je predviđeno jednoslojno staklo 8mm debljine, pjeskareno.</li> </ul>
	- Arhitektonski projekat, pozicija P4: Q6: <b>Na ovoj poziciji u opisu nije data vrsta stakla.</b>	- Arhitektonski projekat, pozicija P4: A6: <b>Na ovoj poziciji je predviđeno jednoslojno</b> <b>staklo 8mm debljine, pjeskareno.</b>
	- Arhitektonski projekat, pozicija P5: Q7: <b>Na ovoj poziciji u opisu nije data vrsta stakla.</b>	- Arhitektonski projekat, pozicija P5: A7: <b>Na ovoj poziciji je predviđeno jednoslojno</b> <b>staklo 8mm debljine, pjeskareno.</b>
	Unofficial translation:	Unofficial translation:
	- Architectural project, position V10: Q1: The description includes five door leafs (3+2) folding accordion doors; Accordion doors cannot have five door leafs, but must have an odd number of door leaves on the left and right.	- Architectural project, position V10: A1: The accordion can have the desired number of doors. In this case, the number of wings is clearly defined.
	- Architectural project, position V3: Q2: The type of door leaf grid is not described in this position; Is the door leaf with a glass panel and what type, or is it a panel in the colour of the locksmith?	- Architectural project, position V3: A2: The type of door leaf grid is a panel in the color of the locksmith.

No	Question/Clarification	IOM Response
	- Architectural project, position V4: Q3: The type of door leaf grid is not described in this position; Is the door leaf with a glass panel and what type, or is it a panel in the colour of the locksmith?	- Architectural project, position V4: A3: The type of door leaf grid is a panel in the color of the locksmith.
	- Architectural project, position P2: Q4: In this position, the type of glass is not described.	- Architectural project, position P2: A4: Single-layer sandblasted glass, 8 mm thick, is planned for this position.
	- Architectural project, position P3: Q5: In this position, the type of glass is not described.	- Architectural project, position P3: A5: Single-layer sandblasted glass, 8 mm thick, is planned for this position.
	- Architectural project, position P4: Q6: In this position, the type of glass is not described.	- Architectural project, position P4: A6: Single-layer sandblasted glass, 8 mm thick, is planned for this position.
	- Architectural project, position P5: Q7: In this position, the type of glass is not described.	- Architectural project, position P5: A7: Single-layer sandblasted glass, 8 mm thick, is planned for this position.
9.	Could you please share the dwg formats of the projects if there is no problem in terms of security?	dwg. formats could not be shared.
10.	What are the RAL code, dimensions, brand and model information of the ceramics? (in 13-01,13-02, 13-03, 13-04, 13-05 BoQ items)? Could you please clarify?	Brand and model are not specified.  The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.
		All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by the Bidders and included in the unit prices of the bid.
11.	Are there any shop drawings for the car washing cabinet available? If so, could you please share them?	The designer has only defined the position of the cabins for the car wash on the layout of the Architectural design.  In the item's description, in the Bill of Quantities, it is stated that the contractor is obliged to prepare an elaboration and specification of the car wash cabins as well as the assembly plan of the structure, which should be approved by the designer.
12.	What are the brand, model and RAL Code information for aluminum skirtings? Could you please share profile section detail drawings?	Brand and model are not specified.  The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.  All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by

No	Question/Clarification	IOM Response
		the Bidders and included in the unit prices of the
		bid.
13.	Brand and model information of the ventilation cover for the elevator shaft are not stated in BoQ. Is there any brand and model information about the ventilation cover for the elevator shaft ventilation system available? (BoQ item no 18-03)	Brand and model are not specified.  The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.
10.		All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by the Bidders and included in the unit prices of the bid.
14.	Which type of wood appearance is demanded in the Trespa Facade (BoQ item no 17-03)? Could you please clarify?	Wood appearance should match the provided visualizations. Please refer to Annex-5.2- 01.architectural-design-graphical-part (page 43-52).
15.	What is the preferred brand and model information of the wooden sunshades in the V10 and P1 BoQ items? Is it a must for them to be wood, can they be aluminum profiles (FEAL brand have moveable and fixed types of sunshades)? Do you want them to be moveable or fixed?	There is no preffered brand and model.  As explained in <u>Bill of Quantities</u> , 11.04. sunshades should have wooden appearance. ("Prozor je sa roletnom u boji ventilisane fasade - drvni dekor"). Sunshades can be made of aluminium profiles.
16.	The detail drawings of the self level application are not available. How much thickness will the self leveling application be applied approximately?	The sunshades should be moveable. Please refer to Annex-5.2-01.architectural-design-graphical-part (page 25).  There is no detailed drawing of the self level application available in the Main design.
	Could you please share detail drawings of the self level application?	Self level application thickness will depends of the flatness of slabs.
17.	What is the brand and model for rockwool panel suspended ceilings? In which areas are rockwool panel suspended ceilings applied? What are the requirements of these panels (Should it be antibacterial etc.)? (BoQ item no 10-01) Could you please clarify?	There are no rock-wool panels as part of the suspended ceiling.
18.	What is the brand, model and RAL code information for transition profiles? Could you please clarify?	There is no preffered brand and model. The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.  All features and specifications that are not
		described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by the Bidders and included in the unit prices of the bid.
19.	What is the brand and model information for Anti- Slip profiles on Stair Treads? Could you please clarify?	There is no preffered brand and model.  The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged

No	Question/Clarification	IOM Response
		to ensure that their bids meet these
		requirements.
		All features and specifications that are not
		described in the <u>Bill of Quantities</u> , but are
		integral parts of the bid, should be foreseen by
		the Bidders and included in the unit prices of the
		bid.
	What is the code, brand and model information of	The Bill of Quantity item 12-01 (KAMENOREZAČKI
	paving stones? In BoQ the thickness of the paving	RADOVI), due to typographical error, should be
	stones are stated as 5mm, we think it should be 5	Read as follows:
	cm. Could you please verify? (BoQ Item no 12-01)	Nichardra machagiiala turanananti ahlamaria
		Nabavka materijala, transport i oblaganje
20.		trotoara oko objekta kamenom debljine <b>do 5cm</b> .
20.		Dimenzije kamena 30cm x slobodno. Kamen svijetle nijanse u finoj završnoj obradi, sa
		stepenom protivkliznosti R10. Kamen postavljati
		u trokomponentnom Rofix malteru ili ekvivalent,
		kako je opisano u specifikaciji materijala, sa
		potrebnom mrežom. Obračun po m2 izvedene
		pozicije.
	Could you please clarify the requirement of argon	The Bill of Quantity item 11-03 (BRAVRSKI RADOVI
	gas in BoQ items P1, V10 and V11?	I ALU.), should Read as follows:
	Will these joinery's glasses be argon gas.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	, , , , , , , , , , , , , , , , , , , ,	"Nabavka, transport i ugradnja fasadne bravarije
		- Dvokrilna vrata u sistemu od profila sa termo
		prekidom Feal Termo 65 ili ekvivalent. Svi profili i
		okovi su plastificirani u boju RAL 9011 mat sa
		debljinom sloja plastifikacije na profilima od 70
		do 100 mikrona. Koristiti kvalitetne okove po
		kataloškim preporukama proizvođača sistema.
		Pozicija je zastakljena dvoslojnim
		termo-izolovanim staklom tipa Guardian Clima
		Guard Solar 8mm + Float Extra Clear 8mm
		(Ug=1.0W/m2K). Međuprostor je ispunjen
		Argonom, sa termički poboljšanim distancerom minimalne širine 16mm."
		V11 150x300cm
21.		V11 130x300cm
		The Bill of Quantity item 11-04 (BRAVRSKI RADOVI
		I ALU.), should be Read as follows:
		"Nabavka, transport i ugradnja fasadne bravarije
		- fiks i jednokrilni prozor u sistemu od profila sa
		termo prekidom Feal Termo 65 ili ekvivalent sa
		okretnim otvaranjem. Svi profili i okovi su
		plastificirani u boju RAL 9011 mat sa debljinom
		sloja plastifikacije na profilima od 70 do 100
		mikrona. Koristiti kvalitetne okove po kataloškim
		preporukama proizvođača sistema. Pozicija je
		zastakljena dvoslojnim termo-izolovanim staklom
		tipa Guardian Clima Guard Solar 8mm + Float
		Extra Clear 8mm (Ug=1.0W/m2K). Prozor je sa
		roletnom u boji ventilisane fasade - drvni dekor.
		Međuprostor je ispunjen Argonom, sa termički

No	Question/Clarification	IOM Response
		poboljšanim distancerom minimalne širine
		16mm."
		P1 150x260+20cm
		Glass is not an integral part of V10.
	Where will self-leveling application be applied to?	Please refer to Annex 5.2_Drawings.
22	Could you please clarify?	The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.
22.		All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by the Bidders and included in the unit prices of the bid.
	What are the technical features of the glass used in	Glass is not an integral part of V10.
23.	V10, P2, P3, P4, P5 BoQ items? Could you please clarify?	Single-layer sandblasted glass, 8 mm thick, is planned for P2, P3, P4, P5.
24.	What are the locations where plasterboard is applied on the walls? What are the preferred carrying systems for plasterboard? (C Profiles etc.) Could you please clarify?	Locations of the plasterboard applied on the walls are not specified in the drawings. Precise locations will be specified in Design of performed works  Submit an offer for the specified quantity
	Are there any areas of the wall with FR	according to the <u>Bill of Quantities</u> .  No.
25.	Plasterboard? If so, could you please verify how many square meters and which spaces?	NO.
26.	What are the brand, model information and details of the motorized "blackout" fabric roller blinds stated in P6 pose? Are motorized "blackout" fabric roller blinds included in the P6 Pose?	There is no preffered brand and model.  The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.  All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by
	The seams between the panels on the facade are	the Bidders and included in the unit prices of the bid.  Motorized "blackout" fabric roller blinds are included in the P6 Pose.  The minimum requirements are clearly defined in
27.	not visible in the current elevation layouts. Could you provide elevation drawings where the seams of the facade are available? What are the dimensions of the panels? (BoQ item no 17-03)	the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.  All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by the Bidders and included in the unit prices of the bid.

No	Question/Clarification	IOM Response
	The thickness of the Trespa Meteon Facade is	Please refer to thickness of 8mm, as provided in
28.	marked as 8mm in BoQ. However the thickness of	the Bill of Quantities.
	the panels are 10 mm in the Section layouts. Could	
	you please clarify the thickness of the panels? (BoQ	
	Item no 17-03)	
	There is no statement about firestop materials in	The minimum requirements are clearly defined in
	BoQ. Are there any firestop materials at wall,	the <u>Bill of Quantities</u> , and the Bidders are obliged
	flooring and MEP transitions?	to ensure that their bids meet these
	If so, what are the brand and model information?	requirements.
29.		All features and specifications that are not
29.		described in the Bill of Quantities, but are
		integral parts of the bid, should be foreseen by
		the Bidders and included in the unit prices of the
		bid.
		There is no preffered brand and model.
	Detail and layout drawings are not available for the	Drawings are available. Please refer to annex-5.2-
30.	sprinkler pump room, could you please provide	04.mechanical-installations-sprinkler-graphical-
	them.	part.
	The pendent sprinkler heads are shown installed by	No, we cannot confirm. Please refer to <u>annex-</u>
31.	rigid pipes on the drawing (BR. PRILOGA: 15). We	5.2-04.mechanical-installations-sprinkler-
	recommend that do it with flexible hoses.	graphical-part.
	Could you please confirm?	
	There is a detail for an upright sprinkler head	There is a technical error on the detail drawing
	installation on the drawing (BR. PRILOGA: 15), but	annex-5.2-04.mechanical-installations-sprinkler-
	there is no upright sprinkler on the layouts.	graphical-part, BR. PRILOGA: 15, and BoQ
	Could you please clarify?	description (11_MP-S-02). Layouts only include <b>pendents</b> sprinkler heads. There are no upright
		sprinkler heads.
		sprinker neads.
		The Bill of Quantity item 11_MP-S-03, should be
		Read as follows:
		"Isporuka i ugradnja <mark>visećih</mark> mlaznica 5 mm
		staklena ampula 68°C, K=80, 1/2" NPT, proizvod
		TYCO ili ekvivalent."
32.		Količina: 117
		TI DIII 60
		The Bill of Quantity item 11_MP-S-05, should be
		Read as follows:
		"Isporuka i ugradnja ormarića za rezervne mlaznice, 12 mlaznica proizvod TYCO ili
		ekvivalent za <b>viseće</b> mlaznice."
		Količina: 2
		Noncilia. 2
		The Bill of Quantity item 11_MP-S-06, should be
		Read as follows:
		"Isporuka rezervnih visećih mlaznica 5 mm
		staklena ampula 68°C, K=80, 1/2" NPT, proizvod
		TYCO ili ekvivalent."
		Količina: 24
33.	There is no ventilation in the kitchens.	No, there is no ventilation in the kitchen.
	Could you please confirm?	

No	Question/Clarification	IOM Response
34.	The preferred brand for some infrastructure materials is not specified (e.g. cable). Could you publish the brand preferences for these products?	There is no preffered brand and model.
35.	In BoQ, the LV Distribution Boards price column is marked "/". We understand that the supply and installation be outside the scope of work. Could you verify this?	Supply and installation of LV Distribution Boards is within the scope of works. It is necessary to give the cumulative (unique) price for several positions. It is clearly marked where to insert the price.
36.	In BoQ, Diesel Generator price column is marked "/". We understand that the supply and installation be outside the scope of work. Could you verify this?	Supply and installation of Diesel Generator is within the scope of works. It is necessary to give the cumulative (unique) price for several positions. It is clearly marked where to insert the price.
37.	There are no positions in BoQ SCS installations that include passive infrastructure testing (optical and copper cable testing).  Should it be included/added to the offer?	The minimum requirements are clearly defined in the Bill of Quantities, and the Bidders are obliged to ensure that their bids meet these requirements.  All features and specifications that are not described in the Bill of Quantities, but are integral parts of the bid, should be foreseen by the Bidders and included in the unit prices of the bid.
38.	In fire alarm installations, according to the project legend, we have items that are called parallel indicators (labels such as L1.PD.1, L1.PD.2, L1.PD.3). According to the drawings, it would be concluded that this item represents an optical detector + parallel indicator because they are connected in a loop.  If this item represents an optical detector + parallel indicators, then 85 optical detectors are missing in the bill of quantities.  If there are only parallel indicators, then the planned equipment would be mounted in the suspended ceiling, which means that there would be no fire detection in the room.  Please clarify what this item represents, whether to offer equipment in accordance to BoQ, or is it necessary to add another 85 optical detectors?	Please make an offer in accordance with the Bill of Quantities.
39.	Can you provide us with the technical descriptions of the project?	Please refer to annex-5.1_technical-specifications-1.

**NOTE:** As agreed during the site-inspection held on 11 January 2024, on the following link you can find the Bid Bulletin with clarifications from previous ITB published on 10 October 2023:

itb-ref-no-me10-374 23-bid-bulletin-no-1.pdf

All other terms and conditions of the clauses of the ITB Ref No. ME10-374/23 Rev.1 remain unchanged.

Approved by: BIDS EVALUATION COMMITTEE

Date: 31 January 2024